

you can  
**Canon**

**iRC1021i**  
Multifunctional Printer

Multifunctional A4 colour printing  
made easy

SIMPLE TO  
OPERATE

GREAT  
COLOUR




iRC1021i

COLOUR

# The easy way to produce superb colour documents

Bringing colour into your office has never been simpler or more cost effective. Canon's multifunctional iRC1021i is surprisingly powerful for such an affordable compact device, boasting speedy high quality A4 prints, a sizeable operation panel and the latest in document security.





Easy-Scroll Wheel allows effortless access to all functions

**High quality colour**

Print your documents in colour with the iRC1021i and they're sure to grab everyone's attention. An impressive print resolution of 2,400 dpi x 600 dpi, allows your proposals to stand out, your reports to get noticed, and your document communication to achieve that crucial competitive edge.

**Highly productive**

Print, copy, scan, send or fax\* - it's quick and simple with the multifunctional iRC1021i. Colour and black and white printing is carried out at a swift 21 pages per minute. A sturdy document feeder, plus a potential paper supply of 850 sheets, ensures sizeable print runs can be comfortably accommodated.

The iSend facility enables the iRC1021i to be a great communicating aid - instantly sending files to e-mail addresses, desktop, ftp server and file locations.

**Ever so easy**

A large 3.5 inch colour display with an Easy-Scroll Wheel allows effortless access to all functions. Intuitive, illustrated set-up and troubleshooting wizards, show you how to use the device, ensuring smooth and hassle free operation at all times.

**Size matters**

You might be surprised to find such heavyweight performance from such a compact device, measuring just 546mm x 527mm x 632mm (w x d x h). Documents can be scanned into a number of digital formats including convenient 'Compact PDF' using Canon's unique high compression technology. This provides high quality, portable PDF documents that are perfect for sharing via SEND functionality.

**Compact PDF function**

**Efficient control, effective security**

The iRC1021i incorporates Canon's Auto Colour Sensing technology which intelligently detects which pages within a document contain colour. This helps to keep your costs down as you only pay for colour when you use it. There's no need to concern yourself with constant device monitoring, as eMaintenance automatically reports any problems to the appropriate provider of service and maintenance, for speedy resolution.

Combine the iRC1021i with Canon's uniFLOW Output Manager for a host of extra features, such as User Print Accounting, which allows you to track usage and associated costs, and Secure Printing, which stores print jobs until the user correctly identifies themselves via the relevant security method e.g. card or password.

**Considerate to the environment**

Switch on and the iRC1021i is ready to go in just 60 seconds. And when not in use, a sleep mode is automatically invoked consuming just 1.2 watts. Plus, you can save paper as well as improving the professionalism of reports, thanks to the device's double sided printing capabilities.



\* Optional extra

# Specifications iRC1021i

Type	Desktop
Maximum Original Size	A4
Copy Sizes	Cassette: A4, A5
Resolution	Stack Bypass: A5, A4, Envelopes Copying: 600dpi x 600dpi Printing: 2400dpi equivalent x 600dpi (PCL, UFR II LT)
Copy/Print Speed	256 Gradations A4: BW 21 cpm / Colour 21 cpm
Magnification	Zoom: 50-200% Fixed: 50%, 70%, 100%, 141%, 200% approx. 12.5 sec
First copy time	60 sec or less
Warm-Up Time	1 to 99 sheets
Multiple Copies/Prints	Yes (built-in as standard/A4)
Duplex Printing	Cassette: 60 to 120g/m <sup>2</sup> Stack Bypass: 60 to 176g/m <sup>2</sup> Duplex: 60 to 120g/m <sup>2</sup>
Paper weight	A4, A5
Cassette	
Paper Capacity (80g/m <sup>2</sup> )	250 sheets x 1 cassette 60 to 80g/m <sup>2</sup> Stack Bypass: 100 sheets 60 to 80g/m <sup>2</sup>
Standard	500 sheets x 1 cassette 60 to 80g/m <sup>2</sup> Max. total paper capacity: 850 sheets
Optional	Canon Custom Processor 400MHz
CPU	768Mb
Memory	Ethernet (100Base-TX/10Base-T), USB2.0
Interface	Serial I/F (TTL) for New Card Reader (E-1, TTL Serial I/F)
Power Supply	220-240V AC (50/60Hz)
Power Consumption (W)	1,210W
Dimensions (WxDxH)	546 x 527 x 632 mm 546 x 527 x 936 mm with Optional cassette
Weight	43.3 kg including CRG
<b>SEND FUNCTION</b>	
Scan Speed with ADF	B&W & Colour: 19.7ipm A4 600dpi
Scan Resolution	B&W: 100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi, 200 x 400dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi Colour: 100 x 100dpi, 150 x 150dpi, 200 x 200dpi, 300 x 300dpi, 600 x 600dpi
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB,FTP), iWDM Gateway
Address book	Local (Max 300)

File Format	Single: (B&W) TIFF, PDF, Searchable PDF (OCR) (Colour) JPEG, PDF, High compression PDF (OCR), Searchable PDF Multi: (B&W) TIFF, PDF, Searchable PDF (OCR) (Colour) JPEG, PDF, High compression PDF (OCR), Searchable PDF FAX/Internet FAX format (B&W): MH, MR, MMR, JBIG (FAX only)
<b>PRINTER FUNCTION</b>	
PDL	UFR II LT, PCL 5c/6
Resolution	2400dpi equivalent x 600dpi (PCL, UFR II LT)
Memory	768Mb (Uses Main Unit CPU)
CPU	Canon Custom Processor 400MHz (Uses Main Unit CPU)
PCL Fonts	Roman 80 (including OCR)
Supported OS	PCL: Windows 2000/XP/2003 Server/VISTA/2008 Server UFR II LT: 2000/XP/2003 Server/VISTA /2008 Server, Mac OS 10.2.8 - 10.4.3
Interface	Ethernet (100Base-TX/10Base-T), USB2.0
Network Protocol	TCP/IP (LPD/RAW (Port9100))
DADF (Standard)	
Paper size	
Copy	Single: A4R, A5R, A5, Duplex: A4R
Scan	Single & Duplex: A4R, A5R, A5
Paper weight	50g/m <sup>2</sup> to 105g/m <sup>2</sup> : A4, 64g/m <sup>2</sup> to 105g/m <sup>2</sup> : less than A4
Max. Number of originals	A4: 50 sheets (80 g/m <sup>2</sup> )
Document	
Scanning speed (max.)	
Copy	B&W & Colour: 19.7ipm A4 600dpi/300dpi
Scan	B&W & Colour: 19.7ipm A4 600dpi/300dpi
<b>OTHER ACCESSORIES</b>	
	Cst. Feeding Unit-Ab1 Super G3 Fax Bd-Ab1 Card Reader-E1 Card Reader Attnt-F1 Barcode Printing Kit-C1
<p>Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice. ® and ©: All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon Recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended. Canon's GENUINE logo means Quality all-round performance. For more information, go to <a href="http://www.canon-europe.com/Canon_Copier_Consumable_Technology">www.canon-europe.com/Canon_Copier_Consumable_Technology</a></p>	

you can  
**Canon**

Canon Inc.  
[www.canon.com](http://www.canon.com)

Canon Europa N.V.  
[www.canon-europe.com](http://www.canon-europe.com)

English-UK Edition 0126W147  
© Canon Europa N.V., 2008 (0908)

Canon (UK) Ltd  
Woodhatch, Reigate  
Surrey RH2 8BF  
Telephone No: 01737 220000  
Facsimile No: 01737 220022  
[www.canon.co.uk](http://www.canon.co.uk)



Canon Ireland  
Arena Road, Sandyford Industrial Estate  
Dublin 18, Ireland  
Telephone No: 01-2052400  
Facsimile No: 01-2958141  
[www.canon.ie](http://www.canon.ie)

